

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	StDev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	2.40e-011	1	4.60e-012	1	4	0.80	0.45			AA, BP, MD, ME	1, 2, 3, 4, 5	PAL	
2	7.30e-011	2	1.40e-011	2	4	0.80	0.45	0.63	MZF1	AA, BP, MD	1, 2, 3, 4, 5		
3	1.20e-010	3	2.20e-011	3	5	1.00	0.71	0.61	HEN1	BP	3		
4	1.00e-009	4	1.70e-010	4	3	0.60	0.55			AA, BP	1, 2, 3, 4, 5	PAL	
5	1.00e-009	4	1.70e-010	4	4	0.80	0.84			AA, BP, ME	1, 2, 3, 4, 5	PAL,TR	
6	1.10e-009	6	4.80e-010	6	7	1.40	0.89			AA, BP	1, 2, 5	PAL	
7	8.50e-009	7	1.50e-009	7	4	0.80	0.84	0.63	ER_Q6	AA, BP	1, 2, 3, 4, 5		
8	1.70e-008	8	3.00e-009	8	5	1.00	1.20			BP	1, 2, 3, 5		
9	2.20e-008	9	4.00e-009	9	3	0.60	0.55	0.68	CP2	BP, MD	1, 2, 3, 4, 5	PAL	
10	4.60e-008	10	8.30e-009	10	4	0.80	0.84	0.65	ZIC2	AA, BP, MD	1, 2, 3, 4, 5		
11	5.60e-008	11	8.50e-009	11	5	1.00	1.00			AA, BP, MD, ME	1, 2, 3, 4, 5	PAL	
12	6.80e-008	12	1.20e-008	12	5	1.00	1.20	0.63	TFIII	AA, BP, MD	1, 2, 3, 4		
13	9.70e-008	13	1.90e-008	13	4	0.80	0.45	0.68	CP2	BP, MD	2, 3, 4, 5		
14	1.10e-007	14	2.00e-008	14	3	0.60	0.55	0.61	SP1_Q2	AA, BP, MD, ME	1, 3	PAL	
15	1.60e-007	15	2.90e-008	15	4	0.80	0.45			BP	1, 2, 5	TR	
16	2.20e-007	16	4.40e-008	16	4	0.80	0.45			BP, MD	1, 2, 3, 4		
17	2.60e-007	17	4.60e-008	17	4	0.80	0.84			BP	1, 3, 5	PAL	
18	6.00e-007	18	1.20e-007	18	5	1.00	0.71			BP	1, 2, 4, 5		
19	7.20e-007	19	1.30e-007	19	5	1.00	1.00			AA, BP	5		
20	7.40e-007	20	1.40e-007	20	5	1.00	0.71			BP	2, 3, 4, 5		
21	7.70e-007	21	1.50e-007	21	5	1.00	0.71			BP	4	TR	
22	8.10e-007	22	1.50e-007	22	6	1.20	1.10			BP, MD	1, 2, 3, 4, 5	PAL	
23	1.10e-006	23	3.80e-007	23	6	1.20	0.45			BP	3, 4		
24	1.70e-006	24	3.90e-007	24	4	0.80	1.10			AA, BP, MD	1, 2, 3, 4, 5	PAL	
25	2.80e-006	25	6.50e-007	26	3	0.60	0.89			AA	1, 2, 3, 4, 5		
26	3.50e-006	26	6.40e-007	25	5	1.00	0.71			BP	1	TR	
27	8.80e-006	27	3.70e-006	29	9	1.80	0.84	0.71	NF1_Q6	AA, BP, MD	2, 4		
28	1.30e-005	28	5.40e-006	35	10	2.00	1.20	0.65	GEN_IN	AA, BP, MD, ME	4, 5		
29	1.40e-005	29	2.60e-006	27	5	1.00	1.00			AA, BP	1, 2, 4		
30	1.50e-005	30	3.00e-006	28	6	1.20	0.84			AA	1, 2, 5	PAL	
31	2.40e-005	31	4.20e-006	30	6	1.20	1.10			BP	2, 5		
32	2.50e-005	32	5.20e-006	32	6	1.20	1.10	0.68	GATA	AA, ME	1, 2, 3, 4, 5		
33	2.60e-005	33	4.60e-006	31	4	0.80	0.84	0.61	ETS2	BP	2, 4	PAL	
34	2.90e-005	34	5.30e-006	34	5	1.00	0.71			BP	4		
35	2.90e-005	34	5.20e-006	32	5	1.00	0.71			BP	3, 5		
36	3.40e-005	36	6.10e-006	36	6	1.20	1.30			AA	1, 2, 3, 4, 5	PAL	
37	6.90e-005	37	2.20e-005	41	8	1.60	1.30	0.61	CP2	BP	1		