

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	StDev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	2.40e-011	1	4.60e-012	1	4	0.80	0.45			AA, BP, MD, ME	1, 2, 3, 4, 5	PAL	
2	1.00e-009	4	1.70e-010	4	3	0.60	0.55			AA, BP	1, 2, 3, 4, 5	PAL	
3	1.00e-009	4	1.70e-010	4	4	0.80	0.84			AA, BP, ME	1, 2, 3, 4, 5	PAL,TR	
4	1.10e-009	6	4.80e-010	6	7	1.40	0.89			AA, BP	1, 2, 5	PAL	
5	1.70e-008	8	3.00e-009	8	5	1.00	1.20			BP	1, 2, 3, 5		
6	5.60e-008	11	8.50e-009	11	5	1.00	1.00			AA, BP, MD, ME	1, 2, 3, 4, 5	PAL	
7	1.60e-007	15	2.90e-008	15	4	0.80	0.45			BP	1, 2, 5	TR	
8	2.20e-007	16	4.40e-008	16	4	0.80	0.45			BP, MD	1, 2, 3, 4		
9	2.60e-007	17	4.60e-008	17	4	0.80	0.84			BP	1, 3, 5	PAL	
10	6.00e-007	18	1.20e-007	18	5	1.00	0.71			BP	1, 2, 4, 5		
11	7.20e-007	19	1.30e-007	19	5	1.00	1.00			AA, BP	5		
12	7.40e-007	20	1.40e-007	20	5	1.00	0.71			BP	2, 3, 4, 5		
13	7.70e-007	21	1.50e-007	21	5	1.00	0.71			BP	4	TR	
14	8.10e-007	22	1.50e-007	21	6	1.20	1.10			BP, MD	1, 2, 3, 4, 5	PAL	
15	1.10e-006	23	3.80e-007	23	6	1.20	0.45			BP	3, 4		
16	1.70e-006	24	3.90e-007	24	4	0.80	1.10			AA, BP, MD	1, 2, 3, 4, 5	PAL	
17	2.80e-006	25	6.50e-007	26	3	0.60	0.89			AA	1, 2, 3, 4, 5		
18	3.50e-006	26	6.40e-007	25	5	1.00	0.71			BP	1	TR	
19	1.40e-005	29	2.60e-006	27	5	1.00	1.00			AA, BP	1, 2, 4		
20	1.50e-005	30	3.00e-006	28	6	1.20	0.84			AA	1, 2, 5	PAL	
21	2.40e-005	31	4.20e-006	30	6	1.20	1.10			BP	2, 5		
22	2.90e-005	34	5.30e-006	34	5	1.00	0.71			BP	4		
23	2.90e-005	34	5.20e-006	32	5	1.00	0.71			BP	3, 5		
24	3.40e-005	36	6.10e-006	36	6	1.20	1.30			AA	1, 2, 3, 4, 5	PAL	