

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	SDDev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	1.80e-018	1	1.30e-019	1	12	0.50	0.72			AA	1, 2, 3, 4, 5	PAL,TR	
2	1.90e-016	3	2.00e-017	2	8	0.33	0.56			AA	1, 5		
3	5.50e-014	5	3.60e-015	3	8	0.33	0.48			AA	2	PAL,TR	
4	5.70e-014	6	8.00e-015	3	7	0.29	0.55			AA, BP, MD, ME	1, 2, 3, 4, 5	PAL,TR	
5	6.60e-014	7	7.90e-015	4	8	0.33	0.56			AA	1		
6	1.20e-013	8	1.60e-014	3	7	0.29	0.62			AA	1, 3, 5	PAL,TR	
7	2.10e-013	9	2.00e-014	4	12	0.50	0.66			AA	1, 2, 4, 5		
8	6.50e-013	12	4.70e-014	4	12	0.50	0.72			AA, ME	2, 3, 4, 5	TR	
9	7.30e-013	13	1.20e-013	6	5	0.21	0.41			AA	2	TR	
10	8.10e-013	14	1.20e-013	6	6	0.25	0.44			AA, BP	1, 3	PAL	
11	2.20e-012	15	3.30e-013	7	8	0.33	0.64			AA, BP, ME	1, 2, 3, 4, 5	TR	
12	3.30e-012	18	4.30e-013	8	9	0.38	0.49			AA, BP, ME	2, 3, 4, 5	PAL	
13	5.00e-012	20	7.80e-013	8	8	0.33	0.64			AA, ME	1, 2, 3, 4, 5	PAL	
14	5.40e-012	21	5.20e-013	10	9	0.38	0.58			AA	1, 5	TR	
15	6.80e-012	24	1.30e-012	10	5	0.21	0.41			AA, ME	2, 4		
16	6.80e-012	24	1.10e-012	8	8	0.33	0.76			AA	1, 5	PAL	
17	7.00e-012	26	7.90e-013	12	7	0.29	0.46			AA	1, 2, 3, 4, 5	PAL,TR	
18	1.00e-011	28	9.40e-013	9	10	0.42	0.58			AA	1, 2, 3, 4, 5		
19	3.00e-011	29	5.20e-012	15	9	0.38	0.92			AA	1, 2, 3, 4, 5	PAL,TR	
20	3.00e-011	29	5.20e-012	12	6	0.25	0.53			AA, ME	1, 2, 3, 4, 5	PAL	
21	9.50e-011	31	8.20e-012	14	11	0.46	0.83			AA	3		
22	1.30e-010	32	1.50e-011	15	9	0.38	0.58			AA	2, 3, 5	TR	
23	1.50e-010	33	2.90e-011	17	7	0.29	0.62			AA, MD	1, 2, 3, 4, 5		
24	1.90e-010	34	2.30e-011	16	9	0.38	0.71			AA	1, 4	PAL	
25	2.50e-010	35	5.30e-011	17	6	0.25	0.61			AA, MD	1, 2, 3, 4, 5	PAL	
26	3.20e-010	36	3.50e-011	16	11	0.46	0.78			AA	1, 2, 3, 4, 5	TR	
27	1.00e-009	37	1.80e-010	17	7	0.29	0.69			AA, ME	1, 2, 3, 4, 5		
28	1.10e-009	38	1.70e-010	19	7	0.29	0.55			AA, ME	1, 3, 4, 5	PAL	
29	1.80e-009	40	3.50e-010	20	9	0.38	1.10			AA, BP, MD	1, 2, 3, 4, 5	PAL,TR	
30	2.10e-009	42	2.60e-010	22	13	0.54	1.50			AA	4	TR	
31	3.90e-009	44	4.00e-010	25	11	0.46	0.72			AA	1, 4, 5	TR	
32	6.40e-009	45	7.00e-010	23	9	0.38	0.77			AA	1	PAL	
33	6.90e-009	46	5.70e-010	23	14	0.58	0.83			AA	4		
34	7.30e-009	48	6.70e-010	21	9	0.38	0.71			AA	3, 5	PAL,TR	
35	9.60e-009	49	1.30e-009	25	9	0.38	0.58			ME	1, 2, 3, 4, 5		
36	2.00e-008	56	6.30e-009	30	4	0.17	0.48			AA	1, 2, 5		
37	5.70e-008	59	1.00e-008	30	6	0.25	0.53			AA, BP	2, 3	PAL	
38	6.80e-008	61	1.70e-008	29	6	0.25	0.68			AA, BP, ME	3, 4		
39	8.20e-008	62	2.50e-008	35	7	0.29	1.00			AA	2, 4	PAL	
40	1.50e-007	64	1.70e-008	32	10	0.42	0.65			AA, BP	2	PAL	
41	2.10e-007	65	4.00e-008	33	9	0.38	0.92			AA, BP	1, 2, 4, 5	PAL	
42	2.40e-007	67	4.40e-008	34	7	0.29	0.86			AA	1, 3, 4		
43	7.90e-007	68	1.10e-007	40	12	0.50	1.10			AA, ME	1, 2, 3, 4		
44	2.50e-006	73	3.60e-007	38	12	0.50	0.72			ME	1, 2, 3, 4, 5		
45	7.50e-006	77	8.70e-007	41	14	0.58	1.10			BP, MD	1, 2, 3, 4, 5	TR	
46	1.60e-005	79	2.10e-006	48	15	0.62	1.70			AA	2	PAL	
47	2.90e-005	84	3.10e-006	49	11	0.46	0.93			AA	2		
48	5.80e-005	93	1.10e-005	54	9	0.38	0.88			AA, ME	2, 5		
49	3.90e-004	108	4.40e-005	58	13	0.54	0.78			BP	2, 4		
50	4.10e-004	109	8.10e-005	56	11	0.46	0.78			BP, ME	1		
51	6.00e-004	116	1.00e-001	116	132	5.50	9.10			BP	3, 5	PAL	