

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	StDev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	1.80e-018	1	1.30e-019	1	12	0.50	0.72			AA	1, 2, 3, 4, 5	PAL,TR	
2	1.90e-016	3	2.00e-017	3	8	0.33	0.56			AA	1, 5		
3	5.50e-014	5	3.60e-015	5	8	0.33	0.48			AA	2	PAL,TR	
4	5.70e-014	6	8.00e-015	7	7	0.29	0.55			AA, BP, MD, ME	1, 2, 3, 4, 5	PAL,TR	
5	6.60e-014	7	7.90e-015	6	8	0.33	0.56			AA	1		
6	1.20e-013	8	1.60e-014	8	7	0.29	0.62			AA	1, 3, 5	PAL,TR	
7	2.10e-013	9	2.00e-014	9	12	0.50	0.66			AA	1, 2, 4, 5		
8	6.50e-013	12	4.70e-014	11	12	0.50	0.72			AA, ME	2, 3, 4, 5	TR	
9	7.30e-013	13	1.20e-013	12	5	0.21	0.41			AA	2	TR	
10	8.10e-013	14	1.20e-013	12	6	0.25	0.44			AA, BP	1, 3	PAL	
11	2.20e-012	15	3.30e-013	15	8	0.33	0.64			AA, BP, ME	1, 2, 3, 4, 5	TR	
12	3.30e-012	18	4.30e-013	17	9	0.38	0.49			AA, BP, ME	2, 3, 4, 5	PAL	
13	5.00e-012	20	7.80e-013	22	8	0.33	0.64			AA, ME	1, 2, 3, 4, 5	PAL	
14	5.40e-012	21	5.20e-013	20	9	0.38	0.58			AA	1, 5	TR	
15	6.80e-012	24	1.30e-012	27	5	0.21	0.41			AA, ME	2, 4		
16	6.80e-012	24	1.10e-012	26	8	0.33	0.76			AA	1, 5	PAL	
17	7.00e-012	26	7.90e-013	23	7	0.29	0.46			AA	1, 2, 3, 4, 5	PAL,TR	
18	1.00e-011	28	9.40e-013	25	10	0.42	0.58			AA	1, 2, 3, 4, 5		
19	3.00e-011	29	5.20e-012	28	9	0.38	0.92			AA	1, 2, 3, 4, 5	PAL,TR	
20	3.00e-011	29	5.20e-012	28	6	0.25	0.53			AA, ME	1, 2, 3, 4, 5	PAL	
21	9.50e-011	31	8.20e-012	30	11	0.46	0.83			AA	3		
22	1.30e-010	32	1.50e-011	31	9	0.38	0.58			AA	2, 3, 5	TR	
23	1.50e-010	33	2.90e-011	33	7	0.29	0.62			AA, MD	1, 2, 3, 4, 5		
24	1.90e-010	34	2.30e-011	32	9	0.38	0.71			AA	1, 4	PAL	
25	2.50e-010	35	5.30e-011	35	6	0.25	0.61			AA, MD	1, 2, 3, 4, 5	PAL	
26	3.20e-010	36	3.50e-011	34	11	0.46	0.78			AA	1, 2, 3, 4, 5	TR	
27	1.00e-009	37	1.80e-010	38	7	0.29	0.69			AA, ME	1, 2, 3, 4, 5		
28	1.10e-009	38	1.70e-010	37	7	0.29	0.55			AA, ME	1, 3, 4, 5	PAL	
29	1.80e-009	40	3.50e-010	40	9	0.38	1.10			AA, BP, MD	1, 2, 3, 4, 5	PAL,TR	
30	2.10e-009	42	2.60e-010	39	13	0.54	1.50			AA	4	TR	
31	3.90e-009	44	4.00e-010	41	11	0.46	0.72			AA	1, 4, 5	TR	
32	6.40e-009	45	7.00e-010	45	9	0.38	0.77			AA	1	PAL	
33	6.90e-009	46	5.70e-010	42	14	0.58	0.83			AA	4		
34	7.30e-009	48	6.70e-010	44	9	0.38	0.71			AA	3, 5	PAL,TR	
35	9.60e-009	49	1.30e-009	47	9	0.38	0.58			ME	1, 2, 3, 4, 5		
36	2.00e-008	56	6.30e-009	56	4	0.17	0.48			AA	1, 2, 5		
37	5.70e-008	59	1.00e-008	57	6	0.25	0.53			AA, BP	2, 3	PAL	
38	6.80e-008	61	1.70e-008	58	6	0.25	0.68			AA, BP, ME	3, 4		
39	8.20e-008	62	2.50e-008	61	7	0.29	1.00			AA	2, 4	PAL	
40	1.50e-007	64	1.70e-008	58	10	0.42	0.65			AA, BP	2	PAL	
41	2.10e-007	65	4.00e-008	63	9	0.38	0.92			AA, BP	1, 2, 4, 5	PAL	
42	2.40e-007	67	4.40e-008	64	7	0.29	0.86			AA	1, 3, 4		
43	7.90e-007	68	1.10e-007	65	12	0.50	1.10			AA, ME	1, 2, 3, 4		
44	2.50e-006	73	3.60e-007	68	12	0.50	0.72			ME	1, 2, 3, 4, 5		
45	7.50e-006	77	8.70e-007	72	14	0.58	1.10			BP, MD	1, 2, 3, 4, 5	TR	
46	1.60e-005	79	2.10e-006	74	15	0.62	1.70			AA	2	PAL	
47	2.90e-005	84	3.10e-006	75	11	0.46	0.93			AA	2		
48	5.80e-005	93	1.10e-005	83	9	0.38	0.88			AA, ME	2, 5		
49	3.90e-004	108	4.40e-005	88	13	0.54	0.78			BP	2, 4		
50	4.10e-004	109	8.10e-005	93	11	0.46	0.78			BP, ME	1		
51	6.00e-004	116	1.00e-001	183	132	5.50	9.10			BP	3, 5	PAL	