

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	StDev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	8.70e-016	2	2.10e-017	2	6	0.50	0.52			AA, ME	1, 2, 3, 4, 5	PAL,TR	
2	1.30e-015	3	2.40e-017	3	9	0.75	0.62			AA, BP	1, 2, 3, 4		
3	1.30e-013	8	2.80e-015	8	6	0.50	0.67			AA	1, 2, 3, 4, 5	PAL	
4	5.50e-013	9	1.60e-014	10	6	0.50	0.52			AA, BP	1, 2, 3, 5		
5	8.80e-013	10	1.00e-014	9	8	0.67	0.89			AA	3		
6	2.90e-012	12	1.10e-013	12	6	0.50	0.67			AA, ME	1, 2, 3, 4, 5	TR	
7	4.50e-012	13	1.70e-013	14	6	0.50	0.67			AA	2, 3, 4, 5	TR	
8	1.80e-011	15	4.30e-013	15	9	0.75	0.75			BP, ME	3, 4	PAL	
9	2.90e-011	17	5.90e-013	16	9	0.75	0.87			AA, BP	2, 3		
10	3.30e-011	19	8.90e-013	20	6	0.50	0.52			AA	1, 3, 4, 5	PAL	
11	3.50e-011	20	7.80e-013	19	6	0.50	0.67			AA	1, 2, 5	PAL	
12	4.50e-010	24	1.70e-011	26	5	0.42	0.51			AA, ME	1, 2, 3, 4, 5		
13	4.80e-010	25	6.80e-012	23	10	0.83	0.94			AA	3, 4	TR	
14	6.10e-010	27	2.50e-011	28	6	0.50	0.67			AA, ME	1, 2, 3, 4, 5		
15	6.70e-010	28	1.80e-011	27	8	0.67	0.78			AA, ME	3, 4, 5		
16	6.70e-010	28	1.40e-011	25	8	0.67	0.89			AA	4	PAL,TR	
17	2.60e-009	30	5.20e-011	30	11	0.92	1.00			AA	1, 5	PAL	
18	4.60e-009	33	1.70e-010	34	7	0.58	0.79			AA, BP	1, 3, 5	PAL,TR	
19	8.90e-009	36	6.50e-010	42	5	0.42	0.79			AA	2	PAL	
20	9.80e-009	37	2.90e-010	37	6	0.50	0.52			BP	2, 3, 4		
21	9.90e-009	38	4.00e-010	40	7	0.58	0.79			AA, MD, ME	2, 4, 5		
22	1.10e-008	39	5.90e-010	41	5	0.42	0.67			AA	2		
23	1.10e-008	39	2.90e-010	37	8	0.67	0.78			AA	1, 2	PAL	
24	1.40e-008	41	3.20e-010	39	11	0.92	0.90			AA, BP	1, 4	PAL,TR	
25	1.50e-008	42	2.70e-010	36	13	1.10	1.40			AA	1	PAL	
26	4.80e-007	50	5.10e-008	56	4	0.33	0.65			AA	2, 3, 5	PAL	
27	7.90e-007	52	2.30e-008	51	7	0.58	0.67			BP	4, 5	PAL	
28	1.30e-005	59	8.70e-007	63	6	0.50	0.80			BP	1		
29	1.70e-005	62	5.50e-007	62	7	0.58	0.67			AA	2, 5		
30	1.90e-005	63	4.60e-007	61	10	0.83	0.83			AA	3	PAL	
31	3.80e-005	64	1.20e-006	66	16	1.30	0.78			BP	2, 3		
32	4.00e-005	65	1.60e-006	67	6	0.50	0.67			BP	2	TR	
33	4.20e-005	66	1.70e-006	68	6	0.50	0.67			BP	2, 5	PAL	
34	4.40e-005	68	1.10e-006	65	11	0.92	0.90			BP	1, 5		