

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	Sidev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	2.80e-017	1	3.70e-016	1	8	0.73	0.65			AA	1, 2, 3, 4, 5		
2	2.80e-014	3	7.80e-014	2	6	0.55	0.69			AA	1, 2, 3, 4, 5	PAL,TR	
3	1.70e-012	4	5.80e-012	4	5	0.45	0.52			AA, BP, ME	1, 2, 3, 4, 5	TR	
4	3.90e-012	6	1.20e-011	6	7	0.64	0.81			AA, BP	1, 2, 3, 4, 5	PAL	
5	3.30e-011	11	1.50e-010	9	8	0.73	0.90			AA	1, 2, 3, 4, 5	PAL	
6	4.40e-011	13	1.50e-010	9	7	0.64	0.81			AA, MD	1, 2, 3, 4, 5		
7	5.50e-011	14	1.90e-010	12	6	0.55	0.69			BP	1, 4		
8	1.10e-010	15	2.30e-010	13	4	0.36	0.50			BP	1, 2, 5		
9	1.60e-010	16	6.90e-008	28	12	1.10	0.54			BP, ME	1, 2, 3, 4, 5		
10	3.10e-010	17	9.20e-010	16	8	0.73	1.00			AA	1, 2, 3, 4, 5		
11	7.80e-010	21	4.90e-009	20	7	0.64	0.67			BP	4		
12	1.30e-009	23	1.60e-008	23	9	0.82	0.87			BP	2, 3, 4, 5	TR	
13	1.50e-009	24	9.10e-009	21	8	0.73	0.79			BP	1, 3, 5	PAL	
14	2.10e-009	25	3.60e-009	19	7	0.64	1.00			AA	1, 2, 3, 4, 5		
15	3.10e-009	26	1.80e-008	24	7	0.64	0.67			BP	4, 5		
16	9.50e-009	29	2.70e-007	37	9	0.82	0.60			BP	1, 2	PAL	
17	1.00e-008	30	3.30e-008	25	10	0.91	1.30			AA, BP, MD	1, 2, 3, 4, 5	PAL	
18	1.50e-008	32	1.80e-007	35	12	1.10	1.30			BP	2, 5		
19	1.60e-008	33	9.90e-008	31	7	0.64	0.67			BP	1, 2, 3, 4		
20	1.70e-008	34	8.20e-008	29	11	1.00	1.20			AA, MD, ME	1, 2, 3, 4, 5	PAL	
21	2.00e-008	35	6.60e-008	27	6	0.55	0.69			BP	3, 4, 5		
22	1.10e-007	38	6.30e-007	38	7	0.64	0.67			BP	1, 3, 4, 5	TR	
23	2.60e-007	41	1.30e-005	56	17	1.50	1.30			AA	1, 2, 3, 4, 5		
24	3.60e-007	45	3.80e-006	47	9	0.82	0.87			BP	1, 2, 4, 5		
25	3.70e-007	47	1.90e-005	61	12	1.10	0.83			BP	5		
26	5.00e-007	51	5.10e-006	50	9	0.82	0.75			BP, MD, ME	1, 2, 3, 4, 5	TR	
27	5.50e-007	52	1.80e-006	41	6	0.55	0.69			BP	1, 4		
28	6.70e-007	55	3.80e-006	47	11	1.00	1.30			AA, BP, MD, ME	1, 2, 3, 4, 5	PAL	
29	2.00e-006	60	6.20e-006	51	6	0.55	0.69			BP	1, 3, 4		
30	4.20e-006	63	1.30e-005	56	6	0.55	0.69			BP	3		
31	4.90e-006	64	7.60e-005	73	17	1.50	1.80			AA	1, 2, 3, 4, 5	TR	
32	5.00e-006	65	4.40e-005	68	9	0.82	0.75			BP, ME	1, 2, 4	PAL	
33	7.50e-006	71	9.40e-005	75	15	1.40	1.10			AA	1, 2, 3, 4, 5		
34	8.00e-006	72	3.70e-005	66	8	0.73	0.90			BP, ME	3, 5		
35	9.30e-006	73	2.80e-005	65	7	0.64	0.67			BP	2, 5		
36	1.10e-005	75	5.00e-005	70	8	0.73	0.79			BP	1, 2, 3, 4	TR	
37	2.20e-005	79	1.60e-004	79	15	1.40	1.40			AA	1, 3, 4, 5		
38	3.30e-005	83	7.70e-005	74	8	0.73	1.00			AA	1, 2, 3, 4, 5	PAL,TR	
39	3.90e-005	84	1.60e-004	79	10	0.91	0.83			BP	1, 2, 5		
40	5.70e-005	87	6.20e-004	87	13	1.20	0.98			BP	4, 5		
41	6.10e-005	89	4.40e-004	85	12	1.10	1.00			BP	1, 3		
42	7.30e-005	90	4.80e-004	86	10	0.91	0.83			BP	4		
43	7.40e-005	91	3.00e-003	105	25	2.30	1.60			BP, ME	1, 2, 3, 4, 5		
44	1.20e-004	93	1.90e-003	98	16	1.50	1.40			BP	1, 3		
45	1.30e-004	95	1.90e-004	81	5	0.45	0.82			BP	1, 3, 4, 5		
46	1.80e-004	96	1.00e-003	89	9	0.82	0.75			BP	3		