

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	Sidev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	1.20e-018	2	3.90e-018	1	6	0.67	0.50			AA	1, 2, 4, 5		
2	7.70e-016	3	6.00e-015	2	8	0.89	0.60			AA	2		
3	4.20e-014	6	3.30e-013	4	9	1.00	0.71			AA	2, 5	TR	
4	6.10e-013	8	6.60e-013	5	5	0.56	0.73			AA	1, 2, 3, 4, 5	PAL,TR	
5	6.10e-013	8	6.80e-013	2	4	0.44	0.53			AA, BP, MD	1, 2, 3, 4, 5	TR	
6	3.00e-012	12	9.60e-012	6	6	0.67	0.50			AA, BP	1, 2, 3, 4, 5	PAL	
7	4.20e-012	13	7.00e-012	3	5	0.56	0.53			AA, BP, MD, ME	1, 2, 3, 4, 5	TR	
8	4.20e-012	13	7.00e-012	4	6	0.67	0.71			AA, BP, ME	1, 2, 3, 4, 5	PAL	
9	4.40e-012	15	1.40e-011	8	8	0.89	0.78			AA, MD, ME	1, 2, 3, 4, 5		
10	9.10e-012	17	1.00e-011	7	4	0.44	0.53			AA, BP	2, 3, 5		
11	1.90e-011	21	3.20e-011	8	6	0.67	0.71			AA, BP	1, 2, 3, 4, 5		
12	2.30e-011	25	4.00e-011	7	7	0.78	0.83			AA, BP, MD, ME	1, 2, 3, 4, 5		
13	2.70e-011	26	2.00e-010	15	10	1.10	0.93			AA, BP, MD, ME	1, 2, 3	PAL	
14	2.90e-011	27	4.80e-011	13	7	0.78	0.97			AA	1, 2, 3, 4	PAL	
15	3.50e-011	28	5.90e-011	9	5	0.56	0.53			AA, BP	1, 2, 3, 4, 5		
16	8.40e-011	29	1.40e-010	10	6	0.67	0.71			AA, ME	2, 3, 4	PAL	
17	1.90e-010	31	4.30e-009	18	8	0.89	0.33			AA, BP	1, 2, 4		
18	3.00e-010	33	3.30e-010	14	4	0.44	0.53			BP	1, 3, 4, 5		
19	3.30e-010	34	1.00e-009	15	8	0.89	0.78			AA	1		
20	3.40e-010	35	2.40e-009	21	8	0.89	0.60			AA, BP	1, 2, 5	PAL,TR	
21	3.80e-010	36	6.40e-010	15	7	0.78	0.97			AA	1, 3, 4, 5	PAL	
22	6.00e-010	37	6.70e-010	18	6	0.67	1.00			AA, BP, ME	4, 5		
23	7.00e-010	38	2.10e-009	20	9	1.00	0.87			AA	5	PAL	
24	1.10e-009	39	1.80e-009	16	6	0.67	0.71			AA, MD	1, 2, 3		
25	1.70e-009	40	5.20e-009	21	9	1.00	0.87			AA	3, 4		
26	2.00e-009	41	5.90e-009	22	11	1.20	1.60			AA, BP, ME	1, 2, 3, 4, 5	TR	
27	6.90e-009	45	1.10e-008	20	6	0.67	0.71			BP, ME	1, 2, 3, 4, 5	PAL	
28	8.50e-009	46	7.50e-009	21	4	0.44	0.73			AA, BP	1, 2		
29	9.50e-009	47	1.60e-008	22	6	0.67	0.71			AA	2	TR	
30	1.30e-008	48	2.10e-008	25	7	0.78	0.83			BP	1, 2, 3, 4, 5		
31	1.40e-008	49	1.60e-008	28	5	0.56	0.73			AA, ME	1, 2, 3, 4, 5	PAL	
32	3.00e-008	50	2.60e-008	29	4	0.44	0.73			AA, BP	2, 5	TR	
33	3.10e-008	51	3.40e-008	28	6	0.67	1.00			AA	3, 4	PAL	
34	6.30e-008	54	1.80e-007	31	10	1.10	1.30			AA	4	PAL	
35	1.40e-007	56	1.20e-007	30	4	0.44	0.73			AA	3, 4, 5	TR	
36	1.70e-007	57	1.90e-007	31	6	0.67	0.87			BP	2		
37	1.90e-007	59	1.50e-007	29	5	0.56	1.00			AA	1, 2, 3	PAL,TR	
38	3.20e-007	61	5.10e-007	31	9	1.00	1.30			AA	1, 2, 3, 4		
39	3.60e-007	63	2.00e-006	36	10	1.10	0.78			BP	1, 2, 4		
40	4.50e-007	65	4.90e-007	36	6	0.67	1.00			AA	2, 3, 4, 5		
41	4.70e-007	66	5.20e-007	34	7	0.78	1.10			AA	4		
42	8.70e-007	68	4.50e-006	37	12	1.30	1.10			BP	1, 3		
43	2.20e-006	71	3.40e-006	40	8	0.89	1.10			AA	1, 2, 3, 4, 5		
44	2.90e-006	72	1.10e-004	45	16	1.80	0.67			BP	2		
45	3.70e-006	73	9.10e-006	44	8	0.89	0.60			BP	3, 4, 5	TR	
46	8.20e-006	75	1.20e-005	46	7	0.78	0.83			BP	1, 4		
47	1.10e-005	76	1.00e-004	44	13	1.40	1.00			BP	2		
48	1.80e-005	77	4.40e-004	54	18	2.00	1.10			BP	4		
49	2.00e-005	78	4.80e-004	56	11	1.20	0.44			BP	3, 4		