

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	StdDev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	3.40e-014	4	2.30e-013	1	11	0.65	0.70			AA, ME	1, 4	PAL,TR	
2	1.60e-013	5	1.90e-012	2	13	0.76	0.75			AA	1, 2, 3, 5		
3	7.20e-012	8	2.70e-011	2	9	0.53	0.62			AA, ME	3, 5		
4	9.50e-012	9	6.00e-011	3	12	0.71	0.77			AA	4	PAL	
5	2.20e-011	10	3.10e-011	3	7	0.41	0.71			AA	1, 2, 3, 4, 5	TR	
6	5.30e-011	11	1.90e-010	6	10	0.59	0.71			AA	1, 3		
7	3.30e-010	14	1.20e-009	10	13	0.76	1.30			AA, BP, ME	1, 2, 3, 4, 5	TR	
8	4.70e-010	15	1.10e-009	6	9	0.53	0.72			AA, MD	1, 3, 4, 5		
9	6.90e-010	16	1.20e-009	9	9	0.53	0.80			AA	3, 4, 5	PAL	
10	1.30e-009	17	4.50e-009	7	8	0.47	0.51			BP, ME	4, 5	PAL	
11	4.60e-009	18	8.10e-009	7	12	0.71	1.20			AA	1, 2, 3, 4, 5	PAL,TR	
12	1.80e-007	22	2.40e-007	8	12	0.71	1.40			AA	2, 3, 5		
13	5.50e-007	25	7.10e-007	15	7	0.41	0.71			AA, BP, ME	1, 3, 4, 5	PAL	
14	5.60e-007	26	9.20e-007	16	10	0.59	1.00			AA, BP	1, 5	PAL	
15	6.00e-007	27	1.30e-006	16	8	0.47	0.62			BP	5		
16	1.00e-006	28	1.30e-006	12	12	0.71	1.40			AA	3	PAL,TR	
17	2.60e-006	33	5.40e-006	14	15	0.88	1.50			AA	3		
18	1.50e-005	39	2.30e-005	12	15	0.88	2.00			AA	2	PAL,TR	
19	1.60e-005	40	3.00e-005	23	9	0.53	0.80			AA, ME	1, 2, 3, 4, 5		
20	1.90e-005	41	6.10e-005	27	11	0.65	0.70			BP	1		
21	5.40e-005	46	1.20e-004	28	15	0.88	1.20			BP	1, 4, 5		
22	6.30e-005	47	7.70e-005	27	8	0.47	0.72			BP	4		
23	1.10e-004	51	1.50e-002	53	99	5.80	6.70			ME	1, 2, 4, 5		
24	1.20e-004	53	1.80e-004	16	16	0.94	2.20			AA	1, 2, 4, 5	PAL,TR	
25	4.10e-004	59	4.80e-004	33	11	0.65	1.30			BP	1, 5	PAL	
26	4.20e-004	60	6.60e-004	37	9	0.53	0.62			BP	1		
27	4.20e-004	60	4.40e-004	30	15	0.88	2.70			AA	4	PAL,TR	