

Motif	Group Specificity	Group Specificity Rank	Site Specificity	Site Specificity Rank	Testset Sites	Average Testset Sites	StDev Testset Sites	TRANSFAC Correlation	TRANSFAC ID	Motif Finders	Sets	Repeats	Logo
1	1.40e-017	1	8.60e-017	1	8	0.89	0.78			AA	3	PAL	
2	5.60e-017	2	3.70e-015	2	9	1.00	0.50			AA	1, 3, 4, 5	TR	
3	9.30e-016	3	1.50e-014	1	9	1.00	0.71			AA	1, 2, 3, 4, 5	PAL,TR	
4	6.00e-015	4	9.60e-014	2	9	1.00	0.71			AA	1, 2, 3, 4, 5	PAL,TR	
5	2.10e-014	6	3.30e-013	5	10	1.10	0.93			AA	1, 2, 4, 5		
6	3.20e-014	7	1.90e-012	10	9	1.00	0.50			AA	1, 2, 3, 4, 5		
7	4.50e-014	8	1.30e-013	2	5	0.56	0.53			AA, MD, ME	1, 2, 3, 4, 5	PAL	
8	5.00e-014	9	2.90e-013	4	7	0.78	0.67			AA	1, 2, 3, 4, 5		
9	6.40e-014	10	3.70e-013	4	6	0.67	0.50			BP	5	PAL	
10	1.50e-013	11	9.00e-013	5	6	0.67	0.50			AA	3		
11	2.80e-013	12	1.60e-012	3	9	1.00	1.00			AA, BP, ME	1, 4	PAL	
12	3.90e-013	14	2.30e-012	11	7	0.78	0.67			AA	1, 2, 4, 5	TR	
13	5.90e-013	16	3.40e-011	11	9	1.00	0.50			AA	1, 2, 3, 4, 5	PAL,TR	
14	6.10e-013	17	1.00e-012	6	4	0.44	0.53			AA	1, 2, 3, 4, 5		
15	6.10e-013	17	1.00e-012	6	5	0.56	0.73			AA	2	PAL	
16	1.10e-012	19	3.10e-012	9	7	0.78	0.97			AA	1, 3, 4, 5	TR	
17	9.10e-012	21	1.50e-011	12	6	0.67	0.87			AA	1, 2, 3, 4, 5		
18	2.20e-011	22	1.20e-010	11	6	0.67	0.50			BP	1, 4		
19	1.40e-010	27	7.90e-010	15	8	0.89	0.78			AA	1, 2, 3, 5		
20	2.70e-010	30	7.20e-010	14	6	0.67	0.71			BP, MD	1, 4, 5		
21	2.90e-010	31	4.00e-009	19	10	1.10	0.93			AA	2		
22	3.50e-010	32	9.60e-008	33	12	1.30	0.50			AA, BP, MD, ME	1, 2, 3, 4, 5		
23	4.30e-010	33	7.10e-010	14	5	0.56	0.73			AA	1, 2, 4, 5		
24	5.60e-010	35	7.40e-009	24	7	0.78	0.44			AA, MD, ME	1, 4, 5		
25	8.30e-010	36	2.30e-009	21	7	0.78	0.83			AA	2, 3	PAL	
26	1.00e-009	39	2.80e-009	19	9	1.00	1.60			AA	1, 4, 5	TR	
27	4.40e-009	43	5.70e-008	30	17	1.90	1.80			AA	1, 4, 5		
28	8.50e-009	46	1.00e-008	22	6	0.67	1.10			AA	1, 3, 4, 5		
29	1.10e-008	47	6.00e-008	25	10	1.10	1.10			AA	3	PAL,TR	
30	1.20e-008	48	2.30e-006	42	12	1.30	0.50			BP, ME	4, 5	TR	
31	1.80e-008	49	4.80e-008	24	9	1.00	1.10			AA	1, 3, 4, 5	PAL	
32	3.20e-008	50	8.40e-008	33	7	0.78	0.97			AA, BP, ME	1, 4, 5	PAL	
33	4.10e-008	53	4.80e-007	28	12	1.30	1.00			AA	2		
34	5.40e-008	55	8.80e-008	27	6	0.67	0.87			AA	3	TR	
35	7.10e-008	57	8.50e-008	34	7	0.78	1.20			AA	1, 4, 5		
36	7.10e-008	57	8.40e-008	26	5	0.56	0.88			AA	2, 3, 5	PAL	
37	8.60e-008	60	2.20e-007	36	7	0.78	0.97			BP	4, 5		
38	1.00e-007	64	2.80e-007	37	9	1.00	1.10			AA	1, 4, 5		
39	1.40e-007	66	2.20e-007	26	6	0.67	0.87			AA	2, 3	PAL	
40	6.80e-007	71	1.70e-006	32	6	0.67	0.71			AA	1, 2, 3, 4, 5		
41	1.40e-006	74	6.10e-006	36	10	1.10	1.10			AA	3		
42	1.60e-006	75	7.30e-006	37	15	1.70	1.60			AA	3, 4		
43	1.90e-006	76	4.80e-006	31	9	1.00	1.00			AA	2, 3		
44	2.10e-006	77	1.80e-005	43	11	1.20	0.83			BP	4	PAL,TR	
45	2.50e-006	78	6.20e-006	32	11	1.20	1.40			AA	2, 4		
46	2.60e-006	79	4.20e-006	34	6	0.67	0.87			AA	1, 3, 4, 5	TR	
47	2.80e-006	80	1.20e-005	45	9	1.00	1.00			AA	1, 4, 5		
48	3.10e-006	81	1.30e-005	39	13	1.40	1.50			AA	3		
49	4.10e-006	82	9.90e-006	44	6	0.67	0.71			BP	1		
50	2.40e-005	87	3.60e-005	42	8	0.89	1.40			AA	1, 3, 4, 5		